9100158

THE UNITED STRATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Micross, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PRING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OF BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ALFALFA

'5888'

In Testimonn Murrest, I have hereunto set my hand and caused the seal of the Hunt Pariety Arolection Office to be affixed at the City of Washington, D.C. this thirty-first day of August in the year of our Lord one thousand nine hundred and ninety-live.

Allest:

Acting Commissioner
Plant Variety Protection Office

Secretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing duta sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250, and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURAL MARK	AGRICULTURE		Application is convered in out-
APPLICATION FOR PLANT VARIE	TY PROTECTION	N CERTIFICATE	Application is required in order to determine if a plant variety protection certificate is to be issued (7 USC 2421). Information is held confidential until certificate is issued (7 USC 2426).
NAME OF APPLICANT(S) (as it is to appear on the Cortificate)	,	2. TEMPORARY DESIGNATION OR	
Pioneer Hi-Bred International, Inc.	:	EXPERIMENTAL NO. XAN82	5888
4 ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
7305 N. W. 62nd Avenue, P.O. Box 28	7		PVPO NUMBER
Johnston, IA 50131		515-270-3340	•
			9100158 F Date
			March 27, 1991
6 GENUS AND SPECIES NAME Medicago sativa	7. FAMILY NAME (Botan Leguminosae	cal)	Time N
	negaminosae	·	G AM PM
8 CROP KIND NAME (Common Name)	9	DATE OF DETERMINATION	F Filing and Examination Fee:
Alfalfa		August, 1986	£ 12150.00
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	ALINE AND IN		S Date
Corporation	ANIZATION (Corporation, pai	tnership, association, etc.)	1 March 27, 1991
			C Certificate Fee:
11, IF INCORPORATED, GIVE STATE OF INCORPORATION	12. D	ATE OF INCORPORATION	250:00 8150.00
Iowa		1926	E Plan 30 1865
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	O SERVE IN THIS APPLICATI	ON AND RECEIVE ALL PAPERS	1 0 may 50,1793
John Hintze, 700 Capital Square, 400 14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fo a. X Exhibit A. Origin and Breeding History of the Variety. b. X Exhibit B. Novelty Statement. c. X Exhibit C. Objective Description of Variety. d X Exhibit D. Additional Description of Variety. e X Exhibit E. Statement of the Basis of Applicant's Owners! f X Seed Sample (2,500 viable untreated seeds) Date Seed g X Filing and Examination Fee (\$2,150) made payable to x Profection Act for YES. ** answer items 16 and 17 but Seed Septiment Applicant(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS? X YES NO	thip. If Sample mailed to Plant Treasurer of the United S OLD BY VARIETY NAME ONL alow) 17. IF "YES" T	/ariety Protection Office Marc ates." Y AS A CLASS OF CERTIFIED SEEO? (O." skip to item 18 bolow) D ITEM 16, WHICH CLASSES OF PROD	h 13, 1991 See suction 83(a) of the Plant Variety
18 DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE V.	ARIETY IN THE U.S.?		
YES III "YES," through Plant Variety Protection Act)	
19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR	MARKETED IN THE U.S. OR	OTHER COUNTRIES?	
X YES (If "YES," give names of countries and dates) NO U.	S. A. Fall of	1990	
20 The applicant(s) declare(s) that a viable sample of basic so	eeds of this variety wil	be furnished with the applicat	ion and will be replenished upon
request in accordance with such regulations as may be app The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation her	meable. s sexually reproduced ed to protection under t	novel plant variety, and belie he provisions of section 42 of the	untar that the soul text of the
SIGNATURE OF APPLICANT [Owner(s)]			
PIONEER HI-BRED INTERNATIONAL, INC.	CAPACITY OR	TITLE	DATE
SIGNATURE OF APPLICANT JOWNEY(S)] BY WOOD WAS A CONTROL OF THE SECOND STATE OF THE SEC		r, Department of Breeding	3-12-91

FORM CSSD 470 (5-89) Edition of FORM LS-470, 3-86, is obsulete.

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF THE VARIETY

158881

5888 is a synthetic variety comprised from 108 plants originating from 5929 (50%) and a Pioneer experimental 75MA-1 (50%). 75MA-1 traces to N71 Brand (30%), Sonora (26%), El Camino (14%), Bonanza (2%), WL 202 (7%), WL 501 (4%), with smaller contribution from Moapa, Hayden and other Pioneer experimental lines. Parent plants were selected through phenotypic recurrent selection for Phytophthora root rot and stem nematode. Syn 1 seed harvested in 1986 and 1987 from parent plants in "cage isolation" and was bulked and designated breeder seed.

During seed multiplication no variates beyond the limits defined under Exhibit C have been found. Multiplication procedures will insure that seed being sold as 5888 will not be shifted in characteristics beyond presently acceptable limits for alfalfa varieties.

It is confirmed that 5888 meets presently acceptable levels for uniformity for alfalfa varieties.

Replaced Replaced 29 Apr 1994 AAA

EXHIBIT B

NOVELTY STATEMENT

158881

5888 most closely resembles the variety 'DK 187'. 5888 differs from DK 187 in blue alfalfa aphid resistance being classified as resistant, while DK 187 has moderate resistance.

7

) Exhibit B.



PIONEER HI-BRED INTERNATIONAL, INC.
PLANT BREEDING DIVISION

DEPARTMENT OF ALFALFA BREEDING P.O. BOX 287 • JOHNSTON, IOWA 50131 PHONE: (515) 270-3340 TELEFAX: (515) 270-3750

December 16, 1993

Alan Atchley
Plant Variety Protection Office
Agricultural Marketing Service
U. S. Department of Agriculture
Room 500, National Agricultural Library Bldg.
10301 Baltimore Blvd.
Beltsville, MD 20705

Re: PVP Application No. 9100158, Alfalfa variety '5888'

Dear Alan:

I talked to Ken Evans today and he thought that the flower color data we submitted could be used to separate 5888 and DK187; however, he would like to see some additional evidence. Although it could be done with a good blue aphid test, this type of test takes more time and is more costly. We do have a test being established for blue aphid determination but I thought I would try the Fusarium wilt tests that are available.

DK187 was tested at the University of Minnesota in 1982 for Fusarium wilt resistance while 5888 was tested in 1989 at the same university. The resistant check, Moapa 69, was within the ranges allowed in both tests showing percent resistant plants at 83.3 and 83.2 in 1982 and 1989, respectively. These two tests were very close in classification of varieties. When the data is adjusted to Moapa 69 at 76% resistant plants, DK187 has 54.2% resistant plants while 5888 has 71.3% resistant plants. This would meet the significant difference rule based on one LSD equaling approximately 10% resistant plants for pest traits when observing different tests to determine differences in varieties.

The 1982 test was used in the review board application in 1983 for DK187 and the 1989 test was used for 5888 submitted in 1990. Both pieces of data should be the data used for Fusarium wilt in your files.

Would this, along with the flower color data previously submitted, suffice in separating these two varieties?

Sincerely,

W. T. W. Woodward, Director Department of Alfalfa Breeding

WTWW:ml

cc: Ken Evans

HELPING AGRICULTURE GROW THROUGH GENETIC RESEARCH

OS DEPARTATION OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
OVERTOR ON AT GRADA SELFO DIVISION
OF ANT VARIETY PROTECTION OF FICE
BLEISVILLE, MARY CAND 20205

•			E DESCRIPTION ((Medicago sativa sens			•	
NAME OF APPLICANTISI		····	TEMPORARY DI	ESIGNATION	VARIETY NAME		
Pioneer Hi-Bred Inte	ernational,	Inc.	XAN8	32	5888	·	·
ADDRESS (Street and No., or R.F.D. No	City State and Zin	Code)	<u> </u>		FOR	OFFICIAL USE ONL	Υ
7305 N. W. 62nd Aver				*	PVPO NUMBER		
Johnston, IA 50131				·		910015	58
PLEASE READ ALL INSTRUCTION application variety. Data for quanti- titative data. Comparative data should be given the Munsell Plant Tissue Color	tative plant characi Id be determined f	ers should be based	on a minimum of 100	O plants, Include lea	ding zeros when neces	sary (e.g., 🗸 o	2 1) tor dasu.
1. WINTERHARDINESS:							
3 - 6 - 7 -	Very Non-Winterhard Intermediately Non-I (Du Puitt) (Ranger) Extremely Winterhar	Yinterhardy (Mesilla)	2 = Non-Winterha 4 = Semi-Winterh 6 = Moderately W 8 = Winterherdy	ardy (Lahontan) /interhardy (Saranac)		e e	·
TES	T LOCATION:	Kerman, CA			<u>.</u>	•	
							
2 FALL DORMANCY:	FA	LL DORMANCY (E	DETERMINED FROM	M SPACED PLANTI	NGS)		
	T	1		REGROWTH SCORE O	OR AVERAGE HEIGHT		<u> </u>
TESTING INSTITUTION DATE OF		DATE REGROWTH	APPLICATION		CHECK VARIETIES*		LSD .06
AND LOCATION	LAST CUT	SCORED	VARIETY	CUF 101	Моара 69	Mesilla	
Pioneer Hi-Bred	9/28/89	10/18/89	44.7	47.8	45.3	33.6	2.46
International, Inc. Kerman, CA	3,720,03	10,10,00					
* CUF 101, Mospa 69, Mesilla, Lahonter	Du Puite Second	Sanger Vernal or Nors	reman at annioniste	,l		·	
777			cm from spa	ced plants.		•	
			Cir Trom Spa	eca planto.			_
1 Fall Growth Habit (Determi	ined from Fall Dorma	incy Triels)	•		,		
	Erect (CUF 101) Semidecumbent (Ver		mierect (Mesilla) cumbent (Norseman)	5 = Intermediate	(Saranac)		
3. RECOVERY AFTER FIRST SPRING	CUT (In Southwest,	first out after March 21	t):		•		
1 - Very Fast 9 - Very Slow	(Norseman)		st (Saranac)	5 = Intermediate	s (Ranger)	7 = Slow (Vernal)	
TEST LOCAT	ion: Kern	ian, CA			-		
4. AREAS OF ADAPTATION IN U.S. (Y	Where tested and prov	en adapted):					
4 Primery Area of Adaptation	· .			3 5 ou	ner Areas of Adaptation		
					h	16 1	
1 = North Cen 5 = Moderatel 8 = Other (Soc	y Winterhardy Intern	2 = East Central countain	3 = Soc 6 = Winterhardy Inte		4 = Southwest 5 7 = Great Plains		
					•	A. C.	A.
5. FLOWERING DATE (When 10% of pl	ants possess open flo	wers at time of first spr	ing cut):				
Days Earlier Than							
Same As		1 = CU	F 101	2 = Mesilla	3 = Saranac 4 =	Vernal 5 = 1	lorsemen .

Kerman, CA

							00100
6. PLANT COLOR (f) Hermanet					y)		
1 * Very Dark Gree	n (524)	2 - Dark Green	(Versal)	3 / Ceifst Green (Ranger (
COLOR CHART V	ALUE (Specify charringed;						
APPLICATION VA	RIETY:	·					
VERNAL:							
TEST LOCATION:							
বি							
Noncreeping Ty	pes: 1 = Broad (\	/ernal)	2 * Intermediate (S.	aranac)	3 = Narrow (C	CUF 101)	
Crueping Types	4 * Creeping	Rooted (Range	fander)	5 + Aluzomateus	(Rhizoma)		
8. FLOWER COLOR (Determin	ne frequency of plants for a	ach color class a	is defined by USDA A	griculture: Handbook	No. 424 (Barr	nes 1972), allowing att	plants in plot to flower):
I 0 0 % Purple and Vi	iolet (Subclasses 1,1 to 1,4)			* Blue (Subci	asses 2.3 and	2.41	
% Variegated Ot	her Than Blue (Subclasses :	2.1, 2.2, 2,5 to 2	2.91	% Yellow (Sul	bolasses 4.1 to	4.4)	
% Cream (Class	3)			% White (Class	s 5}	•	
TEST LOCATIO	Johnston,	IA					
9. POD SHAPE (Determine free	quency of plants with the fo	arla boq gniwoll	pes produced on well	cross-pollinated racen	nesl:		
	I (One or more coils, center		[ore coils, center consp	sicurate poss
% Sickle (Less th							occounty open;
<u></u>				TEST LOCAT			
index	scores (ASI), least significar	it difference sta	tistics (LSD .05), the in	nstitution in charge o	f test, year, ar	id location of test, and	ic generation tested, average severity whether test is a field or leboratory
evalue.	tion. Describe scoring systems should be presented who	m, and any test	procedure which diffe	ers from standard met	hods prapased	l by Elgin (1982), Tri	al data from other test years or
Seeds :	of the check varieties and g	ırmplasın lines li	isted below can be obt	ained from the USDA	Field Crops I	Laboratory, Bidg. 001,	Rm. 335, BARC-West, Beltsville, MD commended by Elgin (1982) may be
presen	ted.	,			, , , , , , , , , , , , , , , , , , , ,		
A. DISEASE RESISTANCE:	VARIETY	SYN, GEN.	PERCENT RESISTANT	NUMBER OF	A E I	ASI	INSTITUTION, YEAR, LOCATION,
DISEASE		TESTED	PLANTS	PLANTS TESTED	ASI	LSD .05	FIELD OR LABORATORY
Anthracnose, Race 1 (Colletotrichum trifolii)	Application S	1	0.0	Approx		Percent	Pioneer Hi-Bred
(Conetotricioni tritoni)				300	·	Resistant	International, Inc
	Arc (R)		65.0	11		Plants	1989
		-	0.0	11		11.4	Johnston, IA Laboratory
	Saranac (S)		0.0				
	SCORING SYSTEM: P	ercent s	surviving s	eedlings.	Data a	adjusted to	Arc at 65%
	resistant pl	ants by	Pioneer Hi	-Bred Inte	rnation	nal, Inc.	
Anthracnose, Race 2 (Collectotrichum trifolii)	Application						
				ļ		1	
S.	Saranac AR (R)						[
	Arc (S)						
	SCORING SYSTEM:			<u> </u>		<u> </u>	
Bacteris! Wilt	Application TD			Approx			University -5
(Corynebacterium insidiosum)	Application LR	1	8.92	225	3.31	0.53	University of Minnesota
	Vernal (R)	•	100	11	4 70]	1989
•			42.0		1.78		Rosemount, MN
	Narregensett (S)		5.0	ii.	3.60		Field
	SCORING SYSTEM: P1.	ants sco	red 0 and	l (on a 1-	5 scale	where 0=	no disease and 5=
	dead plant) (consider	ed resista:	nt. Data a	adjuste	d to Verna	1 at 42% resistant
Common Leafspot (Pseudopeziza medicaginis)	plants by the	e Univer	sity of Mi	nnesota.			
er oo oproziza irmuicaginis;		· · · · · · · · · · · · · · · · · · ·				<u> </u>	
	MSA-CW3AN3 (R)	i					
,	Pages IC1						
	Renger (S)				i		
	SCORING SYSTEM:						

cesist cesist cesist for R R R CUF SX Verde SYSTEM: 101 (1) SS SYSTEM: CONS SOUND	evere student plant l l l l l l l l l l l l l l l l l l l	76.7 70.0 28.9 surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant.	seedlings Approx 250 " seedlings Approx 250 " seedlings	4.80 4.84 4.86 1.68 scale, v	Data adjational, In Percent Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no	Johnston, IA Laboratory symptoms and 1=de usted to CUF 101 c. Pioneer Hi-Bred International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I
G SYSTEM: t or s resist ion R R R RCUF SX Yerde G SYSTEM: 101 (1	evere student plant l lol (HR) (S) Percent 2 HR) Plants seridered residered residere	4.0 scored 5-9 inting) con 76.7 70.0 28.9 surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant. i-BreaceInt resistant	(on a 1-9 nsidered resear Hi-Bred Approx 250 " seedlings Approx 250 " seedlings Approx 250 " approx 250 " but a djust	3.06 scale, sistant Intern 4.80 4.84 4.86 1.68 scale, sted to Inc.	Plants 15.2 where 9=no Data adj ational, In Percent Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	Johnston, IA Laboratory symptoms and 1=de usted to CUF 101 c. Pioneer Hi-Bred International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
SYSTEM: t or s resist ion R R R CUF SX Verde SYSTEM: 101 (1) SS SYSTE	evere student plant l lol (HR) (S) Percent 2 HR) Plants seridered residered residere	scored 5-9 inting) cor s by Pione 76.7 70.0 28.9 surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant. i-Bipercent	(on a 1-9 isidered release Hi-Bred Approx 250 iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	4.80 4.84 4.86 1.68 scale, voted to Inc.	where 9=no Data adj ational, In Percent Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	symptoms and 1=deusted to CUF 101 Pioneer Hi-Bred International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
cesist cesist cesist for R R R CUF SX Verde SYSTEM: 101 (1) SS SYSTEM: CONS SOUND	evere student plant l lol (HR) (S) Percent 2 HR) Plants seridered residered residere	surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant. 1-BreaceInt RESISTANT	sidered recent Hi-Bred Approx 250 " seedlings Approx 250 " seedlings Approx 250 " con a 1-9 s Data adjus ernational	4.80 4.84 4.86 1.68 scale, voted to Inc.	Data adjational, In Percent Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	Pioneer Hi-Bred International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
Resist R R R RCUF SX Verde SSYSTEM: 101 (1	In the plant of the plant of the plants of the plants of the plants of the plant of	84.8 85.0 91.1 4.7 cored 7-9 esistant. 1-BreaceInt RESISTANT	Approx 250 " seedlings Approx 250 " seedlings Approx 250 " " " (on a 1-9 s Data adjus ernational	4.80 4.84 4.86 1.68 scale, verted to	ASI 1.10 Percent Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	Pioneer Hi-Bred International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
R R R R CUF SX Cerde SYSTEM: 101 (1	1 101 (HR) (S) Percent 2 HR) Plants sidered r Ploneer H	76.7 70.0 28.9 surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant. 1-BreaceInt RESISTANT	Approx 250 " seedlings Approx 250 " (on a 1-9 s Data adjustinational,	4.80 4.84 4.86 1.68 scale, verted to	Percent Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	Pioneer Hi-Bred International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1-de 85% resistant
SX Verde SYSTEM: 101 (1) SS SYSTEM: Cons S by 1 RIETY	(S) Percent 2 HR) Plants sidered r	28.9 surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant. i-BredceInt RESISTANT	250 " seedlings Approx 250 " (on a 1-9 s Data adjusternational,	4.84 4.86 1.68 scale, sted to	Resistant Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	International, I 1988 Johnston, IA Laboratory Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1-de 85% resistant
SX Verde SYSTEM: 101 (1) SS SYSTEM: Cons S by 1 RIETY	(S) Percent 2 HR) Plants sidered r	28.9 surviving 84.8 85.0 91.1 4.7 cored 7-9 esistant. i-BredceInt RESISTANT	seedlings Approx 250 "" (on a 1-9 s Data adjusernational	4.84 4.86 1.68 scale, sted to	Plants 25.3 ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
OPERATE STATEMENT OF THE STATEMENT OF TH	Plants soldered r	84.8 85.0 91.1 4.7 cored 7-9 esistant. 1-BredceInt	Approx 250 " (on a 1-9 s Data adjus	4.84 4.86 1.68 scale, sted to	ASI 1.10 Percent Resistant Plants 30.2 where 9=no CUF 101 at	Pioneer Hi-Bred International, 1 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
101 (1 101 (1 s) system:) cons	Plants some proper H	84.8 85.0 91.1 4.7 cored 7-9 esistant. i-BredceInt	Approx 250 " (on a 1-9 s Data adjusternational,	4.84 4.86 1.68 scale, sted to	Percent Resistant Plants 30.2 where 9=no CUF 101 at	Pioneer Hi-Bred International, I 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
SYSTEM: Cons S by I	Plants s	85.0 91.1 4.7 cored 7-9 esistant. i-BredceInt	250 " (on a 1-9 s Data adjus ernational	4.84 4.86 1.68 scale, sted to	Percent Resistant Plants 30.2 where 9=no CUF 101 at	International, 1 1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
system: cons s by I	Plants s sidered r Ploneer H	91.1 4.7 cored 7-9 esistant. i-BredceNat	(on a 1-9 s Data adjus	4.84 4.86 1.68 scale, sted to	Resistant Plants 30.2 where 9=no CUF 101 at	1990 Kerman, CA Laboratory symptoms and 1=de 85% resistant
system: cons s by I	Plants s sidered r Ploneer H	91.1 4.7 cored 7-9 esistant. i-BredceNat	(on a 1-9 s Data adjus	4.86 1.68 scale, verted to	Plants 30.2 where 9=no CUF 101 at	Kerman, CA Laboratory symptoms and 1=de 85% resistant
system:) cons s by l	sidered re	cored 7-9 esistant. i-BredceInt resistant	(on a 1-9 s Data adjus ernational,	scale, voted to	30.2 where 9=no CUF 101 at	Laboratory symptoms and 1=de 85% resistant
s by l	sidered re	esistant. i-BredceInt RESISTANT	Data adjus	ted to	CUF 101 at	85% resistant
s by l	sidered re	esistant. i-BredceInt RESISTANT	Data adjus	ted to	CUF 101 at	85% resistant
s by I	Ploneer H.	i-Breacennt resistant	ernational,	Inc.		
	Ploneer H SYN. GEN. TESTED	I HESISTANI	ernational,		ASI	INSTITUTION, YEAR, LOCATI
			1.0		LSD .05	FIELD OR LABORATORY
on						
3An3 (R)			·			
)					-	
SYSTEM:		<u> </u>	<u></u>		. 	
 эл						
	l					
					-	
SYSTEM:		·	-,1	<u> </u>	-k	
	1	·			1	
RIETY	SYN. GEN. TESTED	RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
n						
XX (R)						l
(S)						
3 - ic - i	S) G SYSTEM: GOT SYSTEM: RIETY XX (R) (S)	S SYSTEM: SYSTEM: SYN. GEN. TESTED XX (R) (S)	S SYSTEM: SYN. GEN. TESTED PERCENT RESISTANT PLANTS XX (R) (S)	S SYSTEM: On SYSTEM: RIETY SYN. GEN PERCENT RESISTANT PLANTS TESTED ON XX (R)	S SYSTEM: On SYSTEM: RIETY SYN. GEN. PERCENT RESISTANT PLANTS TESTED ASI ON XX (R) (S)	S SYSTEM: On SYSTEM: RIETY SYN. GEN. PERCENT RESISTANT PLANTS TESTED ASI LSD.05 ON XX (R) (S)

NEMATODE	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Southern Root Knot (Meloidogyne incognite)	Application						
	Мовра 69 (R)						
	Lahontan (S)						
	SCORING SYSTEM:						
Stem Nematode [Ditylenchus dipsəci]	Application R	1	51.6	Approx 250	2.20	1	Pioneer Hi-Bred International, In
	Lahontan (R)		60.0	п	2.14	Resistant Plants	1988 Kerman, CA
·	Moapa 69 (S	5)	4.3	11	1.21	17.9	Laboratory
							symptoms and 1=de t 60% resistant
Other (Specify)	plants by Pi						
	(R)						
	(S)						

CHARACTER	VARIETY	CHARACTER	VARIETY		
Winterhardiness	Moapa 69	Plant Color	-		
Recovery After 1st Cut	Moapa 69	Crown Type	Moapa 69		
Area of Adaptation	Moapa 69	Combined Disease Resistance	DK187		
Flowering Date	Moapa 69	Combined Insect Resistance	Maricopa		

REFERENCES

Barnes, D.K. 1972. A System for Visually Classifying Alfalfa Flower Color. U.S. Dep. Agric. Handb. 424. 18 pp. (Note: Greenish cast of plate 6, A and B is an artifact of printing, actual colors a blend of yellow and white.)

Elgin, J.H., Jr., (ed.). 1982. Standard Tests to Characterize Pest Resistance in Alfalfa Cultivars. U.S. Dep. Agric. Tech. Bull. (In Press).

Gunn, C.R., W.H. Skrdla, and H.C. Spencer. 1978. Classification of Medicago sativa L. using legume characters and flower colors. U.S. Dep. Agric. Tech. Bull. 1574. 84 pp.

Munsell Color Co. 1977. Munsell Plant Tissue Color Charts. Munsell Color Co., Inc. Baltimore.

NOTE: Any additional descriptive information and supporting documentation may be provided as Exhibit D.

9100158

DISEASE	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Downy Mildew [Peranaspors trifaliarum]	Application				•		
Isolate, if known:	Saranac (R)				- 1		
	Kanza (S)						
	SCORING SYSTEM:		1			- 1	
Fusarium Wilt (Fusarium oxysporum 1, medicaginis)	Application HR	. 1	67.2	Approx .	1,51	ASI 0.61	University of
	Agate (R)		54.0 71.6	11	2.03 1.43		Minnesota 1989
• • • • • • • • • • • • • • • • • • •	MNGN-1 (S)		0.8	11	4.83	-	Rosemount, MN Field
							0=no disease and : te at 54% resistar
Phytophthora Root Rot (Phytophthora megasperma 1, medicaginis)	plants by	the Unive	rsity of	Minnesota. Approx	. 44,5,45	Percent	Pioneer Hi-Bred
	Agate (R)		43.0	250		7	International, In 1989
	Saranac (S)		4.7	11		17.7	Quarryville, PA Laboratory
							cent surviving see y Pioneer Hi-Bred
Verticillium Wilt (Verticillium albostrum)	Internation Application	al, Inc.	ed to Agai	e at 45% le	SISCAN	T prants b	y lioneel hi-bred
	Vertus (R)	1			·		
	Saranac (S)				,]	
	SCORING SYSTEM:	· · · · · · · · · · · · · · · · · · ·	1	<u> </u>	•	٠,	I
Other (Specify)	Application						
	(A)	<u>L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>				-	
	(5)					<u>-</u>	
	SCORING SYSTEM:			<u>]</u>	<u> </u>	1	<u>-</u>
Other (Specify)	Application	<u> </u>	<u> </u>	. !			
		<u> </u>	<u> </u>	<u> </u>		-	
	(A)	· · · · · · · · · · · · · · · · · · ·				_	
	(S)						
	SCORING SYSTEM:						
INSECT RESISTANCE: INSECT	VARIETY	SYN. GEN. TESTED	PERCENT DEFOLIATION	DEFOLIATION IN PERCENT OF RESISTANT CHECK	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Alfalla Weevil [Hypera postica]	Application						
	Arc (R)			100		1	
	Serenac (\$)						
	SCORING SYSTEM:		L	L	<u> </u>		1

158881

APPLICATION FOR REVIEW OF ALFALFA VARIETIES FOR CERTIFICATION National Alfalfa Variety Review Board

(The criteria for evaluation of applications were developed by the Joint Alfalfa Work conference and the Association of Official Seed Certifying Agencies.)

Applicant's Name: Pioneer Hi-Bred International, Inc. Date: 11/1/90
Address: P.O. Box 28/. Johnston. TA 50131
Sponsoring Institution (if other than applicant)
Breeder's Name (if other than applicant)
Variety Name: 5888 Experimental Designation: XAN82, YAN82, 86SN711
Applicant's Signature Alliam J. N. Woodward

The breeder or sponsoring institution or organization must describe and DOCUMENT in this application those characteristics of the variety which give it distinctiveness and merit by supplying the information requested below. Information must be supplied for each category excepting those listed as optional. Action will be deferred unless the application is sufficiently documented.

At the time a variety is accepted for certification, a seed sample of the generation or generations requested by the certifying agency shall be submitted to the certifying agency by the sponsor. This lot(s) is to be retained as a control sample against which all future seed stocks released for certified seed production may be compared to establish continued trueness of variety.

I. A. Estimate the % of the germplasm sources listed below that contribute to the major genetic constitution of this variety.

M.falcata	Ladak	M.varia	Turkistan	Flemish	Chilean
		3%	4%		3%
Peruvian	Indian	African	Arabian	Unknown	
<u> </u>	10%	71%		88	

B. A statement of origin (including variety names, germplasm releases and/or PI numbers, and the number of plants or % contribution from each) and the breeding procedures or methods and selection criteria used in developing the variety. Include the procedure for producing breeder seed, the generation (e.g. Syn 1, Syn 2, etc.) that is considered breeder seed, and the year of breeder seed production.

Page 2 - 5888

5888 is a synthetic variety comprised from 108 plants originating from 5929 (50%) and a Pioneer experimental 75MA-1 (50%). 75MA-1 traces to N71 Brand (30%), Sonora (26%), El Camino (14%), Bonanza (2%), WL 202 (7%), WL 501 (4%), with smaller contribution from Moapa, Hayden and other Pioneer experimental lines. Parent plants were selected through phenotypic recurrent selection for Phytophthora root rot and stem nematode. Syn 1 seed harvested in 1986 and 1987 from parent plants in "cage isolation" and was bulked and designated breeder seed.

C. Seed class to be used, limitations on age of stand and areas of production for each class.

Seed Class	Synthetic Generation	Length of Stand Allowed	Limitation on Areas for Seed Production
Breeder	1	Two	None
Foundation	2 or 3	Three	None
Certified	2, 3 or 4.	Five	None

Only the synthetic generations given for the above seed classes are recognized as representing this variety. (No supporting data should be used in this application from Syn. generations other than those for the Breeder, Foundation and Certified Classes listed here).

D. Procedures for maintaining seed stock:

Adequate breeder seed (syn 1) was produced in 1986 and 1987 and bulked to last the life of the cultivar on 108 plants in cage isolation. Seed classes will be breeder, foundation and certified. Foundation seed may be produced from breeder or foundation. The second generation foundation seed may be produced at the discretion of Pioneer Hi-Bred International, Inc. Both breeder and foundation seed will be maintained by Pioneer Hi-Bred International, Inc. Certified seed may be produced from breeder or foundation seed.

E. Any other requirements or limitations necessary to maintain varietal characteristics?

NONE

II. A. Describe the primary use of this variety (if for uses other than hay, haylage, greenchop or dehydration): B. List states and areas within states where tested for forage and or persistence. (Present data from each location in III.A. and III.B.).

Kerman, Thornton and Visalia, CA

C. Indicate proposed areas of adaptation and intended use on the map below.



- III. Evidence of agronomic performance, including data on yield (in T/A) and persistence. Data may be from tests conducted by private firms, Agricultural Experiment Stations or USDA.
 - A. Minimum required forage yield data is six location years with at least two locations (two locations must be at least 100 miles apart). Seeding year forage yield data cannot be used to satisfy this requirement. One location must have at least two harvest years beyond seeding year. Each harvest year should be listed separately.

Note: For non-dormant varieties (dormancy level of Moapa 69 or CUF 101) seeding year data may be accepted for up to two of the six location years when four or more cuttings are made in the seeding year.

Page 4 - 5888

Summarize Forage Yield Data below:

m _ = L	Date	~					tal Yie			
Test Location	Plntd Mo/Yr	Syn Gen	Year Hvst		Test Variety	2. <u>a</u>	(DM T/2 3. b		LSD .05	CV\$
KERMAN	3/87	1	87	5	8.7	9.4	7.4	7.7	1.34	12.26
CA	3/87 3/87	1	88 89	7 7	11.4 14.6	10.6 14.7	9.4 12.7	$\begin{smallmatrix}10.1\\14.2\end{smallmatrix}$	1.16 1.47	8.34 7.88
KERMAN CA	3/88 3/88 3/88	1 1 1	88 89 90	6 7 6	9.6 10.1 12.7	9.4 10.9 12.5	9.3 10.3 12.4	9.8 11.0 13.2	1.15 0.91 1.05	8.46 5.83 5.63
KERMAN CA	3/89 3/89	1	89 90	4 4	8.2 12.0	8.2 11.6	7.1 11.0	7.5 11.9	1.46 1.35	14.45 8.28
KERMAN CA	10/89	1	90	5	11.6	11.7	12.0	11.3	1.25	7.95
KERMAN CA	10/89	1	90	5	11.0	11.1	9.3	11.4	2.83	14.30
VISALIA CA	10/88 10/88	1 1	89 90	2 5	4.1 11.3	3.7	4.0	3.7 10.9	0.48 1.76	8.86 8.01
VISALIA CA	10/89	1	90	5	3.3	3.1	3.0	3.2	0.35	6.86
THORNTON CA	3/86 3/86 3/86	1 1 1	87 88 89	6 7 5	11.8 13.8 7.6	11.6 13.7 7.2	11.2 13.5 7.2	10.7 14.0 8.0	1.17 1.10 1.20	7.80 5.94 11.99
THORTON CA	3/88 3/88	1 1	89 90	5 5	8.8 6.2	7.5 5.9	7.3 4.8	7.7 6.1	1.15	10.73 10.69
THORNTON CA	3/89	1	90	5	10.5	10.5	9.4	10.4	1.23	7.65

^{1.&}lt;u>a</u> Moapa 69

^{2.&}lt;u>b</u> CUF 101

^{3.&}lt;u>c</u> 5929

Mean Annual Yield

	Years Hvstd	Total No.of Hvsts				
Ck 2 comparison	_19	101	9.9	9.7		
Ck 3 comparison	19	101	9.9		9.1	
Ck 4 comparison	19	101	9.9			9.7

B. Persistence (winter and drought tolerance, summer survival relative to check varieties). Enter dates of both Initial and Final stand estimates. Data must come from the area of adaptation and from stands at least two years old. More than one location must be given either when persistence is a trait used to justify release or when large diverse geographic areas of adaption are recommended.

eded O/Yr	Yrs. Hvtd	No. Hvts	Readings Init/Final	Variety	1. a	2. b	LSD	CV%
				In/Fn1	In /Fn l	In/Fnl	.05	CVT
		~						
8/88	3 .	19	5-88/10-90	100/74	100/65	99/61	10.88	9.98
8/87	3	18	5-87/10-90	97/95	94/94	93/93	3.12	2.28
},		/87 3	/87 3 18	/87 3 18 5-87/10-90	/87 3 18 5-87/10-90 97/95	/87 3 18 5-87/10-90 97/95 94/94	/87 3 18 5-87/10-90 97/95 94/94 93/93	

^{1.} a Moapa 69 2. b CUF 101

Scoring System used: Data taken on minimum six inch units within each plot with a total plot size = 120 units.

C. Fall dormancy relative to recognized varieties; check varieties must be chosen so as to bracket the dormancy data of this variety.

1. Test data

Test Syr		. –	Date	Test	Che	height ieties	LSD	CV %	
Location Gen Cut	Cut	Measured	Variety	y 1.	2.	3.	.05		
University	of				·	<u> </u>			<u> </u>
Minnesota	1	9/8/89	10/11/89	3.93	3.45	5.60	6.51	0.61	6.95
Kerman, CA	1	9/28/89	10/18/89	44.7	47.8	45.3	33.6	2.46	4.0
University	of	Minnesot	ta check v	varietie	es:		 		

Pioneer Hi-Bred International, Inc. check varieties: 1. CUF 101, 2. Moapa 69, 3. Mesilla

Scoring system used: University of Minnesota - Plants scored on a 0-9 scale (0=18 inches or higher and 9 = 0-2 inches). Results reported as ASI.

Pioneer Hi-Bred International, Inc. - Plant height measured in cm from spaced plants; 29 plants/rep with 4 replications.

 Indicate which of the following check varieties this variety most nearly compares to in fall dormancy.

VERY DORMANT	DORMANT	MOD. DORMANT	NON-DORMANT	VERY NON-DORMANT
Norseman ()	Vernal () Ranger ()	Saranac () DuPuits () Lahontan ()	Mesilla () Moapa 69(X)	CUF 101 ()

D. Seed production (this information optional).

Variety	Syn	Test	Years	Average
	Gen	Location	Tested	Yield (lbs/A)
Test variety 1. 2.		No informati	ion	

IV. Other descriptive characteristics

Page 7 - 5888

Flower color at full (see USDA Agricultur Visually Classifying	E HADDOOOV NA A	74 3 0	2
100 % purple variegated	% cream % white	% yellow	

- B. Growth habit: (erect, semi-erect or decumbent)

 Mid summer erect

 Fall erect
- C. Optional: (Document distinctive characteristics such as pod, leaf or root traits, biochemical markers, etc.)
- V. Pest Resistance Characteristics

PLEASE FOLLOW THESE INSTRUCTIONS CAREFULLY WHEN REPORTING PEST RESISTANCE RESULTS.

Furnish comparative data on the following insects and diseases (and others where applicable) for your variety. Data may be from tests conducted by private firms, Agricultural Experiment Stations, or USDA. Tests should be conducted by standard procedures as described in ARS Misc. publication 1434. Each disease and insect test must include recognized resistant and susceptible checks. include the test mean (mean of all entries in test), LSD (.05), and CV Statistics must Resistance levels should be characterized using % resistant plants as follows: S=<6%, LR=6-14%, MR=15-30%, R=31-50%, HR=>50%. not refer to tolerance. Checks should be characterized based on long term % resistance averages published in ARS Misc. publication 1434. If data for the resistant check does not fit its expected resistance class (MR, R, HR, etc.) data must be adjusted to the long term mean. If data has been adjusted, supply both adjusted and unadjusted values and indicate how and by whom the adjustment was made.

At the time a variety is accepted for certification, a seed sample of the generation or generations requested by the certifying agency shall be submitted to the certifying agency by the sponsor. This lot(s) is to be retained as a control sample against which all future seed stocks released for certified seed production may be compared to establish continued trueness of variety.

If a scoring or rating system is used, specify the limits and meaning of scores. NOTE: If a pest reaction of the variety falls on or just above a resistance category level (+2% for LR, MR, and R; +3% for HR) and the higher rating is claimed, results of a second test must be reported. If the two tests do not agree, the lower rating is appropriate unless further testing supports the higher rating. Pest resistance data must be submitted on at least six of the following

Page 8 - 5888

nine pests: anthracnose, bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode, pea aphid, spotted alfalfa aphid, and blue alfalfa aphid. For the pests where no data is available write "Not tested". The six required pests must be selected from those that frequently cause significant losses on susceptible cultivars in the area of proposed adaptation of this variety. (Use the map you have shaded in IIc and compare with the maps of distribution and severity of alfalfa pests in ARS Misc. publication 1434. This will determine for which pests you must submit resistance information). Show generation of seed used for each test.

Test conduct	ed by				at	· · · · · ·
Variety	Resistance Class	Year Tested		Unadjusted % Resist.	Adjusted % Resist.	Score or
Test Variety 1. 2.						
3.		Not	Teste	d		
Test Me L.S.D. C.V. (9	(.05)					
Scoring syste	em used:			·		
BACTERIAL WII	,T					
Test conducte	d by				at	
Variety	Resistance Class	Year Tested		Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Test Variety 1. 2. 3.			Not	Tested		
Test Me L.S.D. C.V. (%	(.05)					

FUSARIUM WILT

Scoring system used:_

Variety	Resistance Class	Year Tested		Unadjusted % Resist.	Adjusted % Resist.	Score o
Test Variety		1989	1	78.1	67.2	
1. Moapa 69	**		_	83.2	71.6	1.51
2. Agate	R			62.8	54.0	1.43
3. MNGN-1	S			0.9	0.8	2.03 4.83
Test M L.S.D.	(.05)			57.1 14.53		2.18
C.V. (ቴ)			15.82		17.56
	re re	sistant.	se, an Data	and 1 (on a d d 5=dead plan Adjusted to by the Unive	nt) consider	red
VERTICILLIUM	0= re re WILT	sistant.	se, an Data	o b=dead plan Adiusted to	nt) consider	red
VERTICILLIUM Test conducto	0= re re WILT	sistant.	se, an Data	d 5=dead plan Adjusted to by the Unive	atatadjusted	red 4% innesota.
VERTICILLIUM Test conducto	0= re re WILT ed by	sistant. sistant p	Data Data Dlants	d 5=dead plan Adjusted to by the Unive	nt) consider Agate at 54 ersity of Me	red 4% innesota.
VERTICILLIUM Test conducto Variety Test Variety 1.	0= re re WILT ed by	sistant. sistant p	Data Data Dants	d 5=dead plan Adjusted to by the Unive	atatadjusted	red 4% innesota.
VERTICILLIUM Test conducto Variety Test Variety	0= re re WILT ed by	sistant. sistant p	Syn Gen	d 5=dead plan Adjusted to by the Unive	atatadjusted	red 4% innesota.

8

Page 10 - 5888

PHYTOPHTHORA ROOT ROT

Test conducted by Pioneer Hi-Bred International, Inc. at Arlington, WI

Variety	Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Test Variety 1. Agate 2. Saranac 3. Legend 4. Magnum II 5. WL 317	R R S HR II R HR	1990	2	43.5 58.0 5.3 57.9 30.1 47.2	32.3 43.0 3.9 42.9 22.3 35.0	5.39 6.14 2.40 6.29 4.30 5.32
Test Me L.S.D. C.V. (%	(.05)		·	46.5 16.1 25.0	33.8 11.7 25.0	5.50 0.86 11.00

Scoring system used:

Plants scored 7-9 (on a 1-9 scale, where 9=no symptoms and 1=dead plant) considered resistant. Data adjusted to Agate at 43% resistant plants by Pioneer Hi-Bred International, Inc.

PHYTOPHTHORA ROOT ROT

Test conducted by Pioneer Hi-Bred International, Inc. at Quarryville, PA

	iety	Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Tes 1. 2. 3.	t Variety Agate Saranac	R R S	1989	1	27.7 28.7 3.2	41.5 43.0 4.7	
	Test Me L.S.D. C.V. (%	(.05)		• •	24.0 11.8 35.5	36.0 17.7 35.5	

Scoring system used:

Greenhouse seedling damping off scored as % surviving seedlings. Data adjusted to Agate at 43% resistant plants by Pioneer Hi-Bred International, Inc.

Page 11 - 5888

STEM NEMATODE

Test conducted by Pioneer Hi-Bred International, Inc. at Kerman, CA

Variety	Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Test Variety 1. Lahontan 2. Moapa 69 3.	R R S	1988	1	16.6 19.3 1.4	51.6 60.0 4.3	2.20 2.14 1.21
Test Me L.S.D. C.V. (%	(.05)			11.8 5.8 30.0	39.8 17.9 30.0	1.80 0.36 13.00

Scoring system used:

Plants scored 7-9 (on a 1-9 scale, where 9=no symptoms and 1=dead plant) considered resistant. Data adjusted to Lahontan at 60% resistant plants by Pioneer Hi-Bred International, Inc.

STEM NEMATODE

Test conducted by Pioneer Hi-Bred International, Inc. at Kerman, CA

Variety	Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Test Variety 1. Lahontan 2. Caliverde 3. Moapa 69	R R 65 MR S	1990	2	24.6 34.2 7.8 0.0	43.2 60.0 11.5 0.0	3.86 4.31 3.20 2.00
Test Me L.S.D. C.V. (%	(.05)			14.2 8.5 38.0	24.9 14.0 38.0	3.00 0.71 15.00

Scoring system used:

Plants scored 7-9 (on a 1-9 scale, where 9=no symptoms and 1=dead plant) considered resistant. Data adjusted to Lahontan at 60% resistant plants by Pioneer Hi-Bred International, Inc.

PEA APHID

Test conducted by Pioneer Hi-Bred International, Inc. at Johnston, IA

Variety	Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or
Test Variety 1. CUF 101 2. PA-1 3. Caliverde	R HR HR S	1988	1	60.6 55.3 56.0 22.9	76.7 70.0 70.9 28.9	
Test Me L.S.D. C.V. (%	(.05)			47.6 20.0 26.0	60.2 25.3 26.0	

Scoring system used:

% surviving seedlings. Test was infested with a mixture of pea aphids collected from Iowa, Minnesota, Wisconsin, and Pennsylvania. Data adjusted to CUF 101 at 70% resistant plants by Pioneer Hi-Bred International, Inc.

SPOTTED ALFALFA APHID

Test conducted by Pioneer Hi-Bred International, Inc. at Kerman, CA

Variety		Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Tes 1. 2. 3. 4.	t Variety CUF 101 Kanza Caliverde Ranger Team	HR HR HR S S	1990	2	41.4 41.5 44.5 1.2 2.3 0.0	84.8 85.0 91.1 2.5 4.7 0.0	4.80 4.84 4.86 1.20 1.68 1.00
Test Mean: L.S.D. (.05) C.V. (%)					32.8 14.8 28.0	67.2 30.2 28.0	4.20 1.10 16.00

Scoring system used:

Plants scored 7-9 (on a 1-9 scale, where 9=no symptoms and 1=dead plant) considered resistant. Data adjusted to CUF 101 at 85% resistant plants by Pioneer Hi-Bred International, Inc.

Page 13 - 5888

BLUE ALFALFA APHID

Test conducted by Pioneer Hi-Bred International, Inc. at Johnston, IA

Variety		Resistance Class	Year Tested	Syn Gen	Unadjusted % Resist.	Adjusted % Resist.	Score or A.S.I.
Tes 1. 2. 3. 4.	t Variety CUF 101 5929 Caliverde PA-1	R HR HR S S	1989	1	27.8 47.5 56.5 1.8 2.7	41.0 70.0 83.3 2.7 4.0	3.77 4.25 4.63 3.01 3.06
Test Mean: L.S.D. (.05) C.V. (%)				20.4 10.3 31.0	30.1 15.2 31.0	3.50 0.37 7.0	

Scoring system used:

Plants score 5-9 (on a 1-9 scale, where 9=no symptoms and 1=dead plant or severe stunting) considered resistant. Data adjusted to CUF 101 at 70% resistant plants by Pioneer Hi-Bred International, Inc. Blue alfalfa aphids supplied by Oklahoma State University.

Please attach a one page description/summary of your variety as you wish it published by AOSCA. This description must stand on its own; please use complete sentences.

Include the following:

- 1. A statement of genetic origin (including variety names, germplasm releases, and/or PI numbers that contributed to the major genetic constitution of this variety) and the breeding procedures, methods, and selection criteria used in developing the variety. Estimate the % of the major germplasm sources contributing to this cultivar (see I.A.)
- 2. Area of probable adaptation (geographic area) and primary purpose (hay, grazing, etc.) for which this variety will be used. Report states where the variety has been tested for yield and persistence and proposed areas of intended use.
- Other descriptive characteristics such as flower color, fall dormancy, and other morphological or physiological identifying traits.
- 4. A statement relative to its resistance to anthracnose, bacterial wilt, Fusarium wilt, Verticillium wilt, Phytophthora root rot, stem nematode, pea aphid, spotted alfalfa aphid, and blue alfalfa aphid.
- 5. Procedures for maintaining seed stock, seed classes to be used, a statement as to the limitation of age of stand and generations that may be certified and other requirements or limitations necessary to maintain varietal characteristics.
- 6. If this variety is accepted by official certifying agencies, when will certified seed first be offered for sale?
- 7. Will application be made for protection under the Plant Variety Protection Act and if so, will the certification option be requested?
- 8. As a means of added varietal protection, are you willing to have the information in this application turned over to the PVP office?

Page 15 - 5888

- 1. 5888 is a 108 plant synthetic cultivar with parents selected through phenotypic recurrent selection and originating from several experimental lines tracing to 5929, Bonanza, El Camino, Hayden, Moapa, N71 Brand, Sonora, WL 501 and WL 202. Parent plants were selected for one or more of the following: Phytophthora root rot and stem nematode. Germplasm sources are: M.varia (3%), Turkistan (4%), Chilean (3%), Peruvian (1%), Indian (10%), African (71%), with 8% unknown.
- 2. 5888 is intended for use in the San Joaquin and Imperial valleys of California and the low desert areas of Arizona, California, New Mexico and Texas for hay, haylage, greenchop and dehydration. It is expected to be adapted where other nondormants are grown. 5888 has been tested in California. The variety has been tested using the following experimental designations: XAN82, YAN82 and 86SN711.
- 3. 5888 is a nondormant variety with fall dormancy similar to Moapa 69. Flower color of the Syn 2 generation is purple. Growth habit is erect in mid summer and the fall.
- 4. 5888 has high resistance to Fusarium wilt and spotted alfalfa aphid; resistance to blue alfalfa aphid, pea aphid, Phytophthora root rot and stem nematode. 5888 has not been adequately tested for bacterial wilt, Verticillium wilt, or anthracnose.
- 5. Breeder seed (Syn 1) was produced over a two year period on parent plants in "cage isolation" and bulked. Seed classes will be breeder, foundation (Sny 2 or Syn 3), and certified (Syn 2, Syn 3 or Syn 4). Foundation seed may be produced from breeder or foundation. The second generation foundation may be produced at on ages of stand will be three and five years for foundation and certified seed, respectively. Sufficient breeder and foundation seed for the projected life of the variety will be maintained by Pioneer Hi-Bred International, Inc.
- 6. Seed will be marketed in the fall of 1990.
- 7. Application for Plant Variety Protection will be made and the certification option will not be requested.
- 8. As a means of added varietal protection, information included with Application for Review of Alfalfa Variety for Certification may be provide to the PVP office.

24

EXHIBIT E

STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

158881

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of 5888. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of 5888.